





























- | | | |
|---|--------|------|
| A | 4x45 | x 34 |
| B | 1.4x25 | x 50 |
| C | 3x25 | x 71 |
| D | 6x50 | x 6 |
| E | 3x20 | x 20 |
| F | 4x30 | x 5 |




№		PCS	 mm	 mm	 mm
1		2	19	52	2000
2		1	19	92	1800
3		1	19	106	1800
4		78	19	92	188
5		18	19	92	700
6		2	19	92	700
7		43	19	92	2000
8		22	19	92	2000
9		42	19	92	384
10		2	19	52	700
11		2	38	38	1585
12		1	40	70	1795
12.1		1	40	70	1795
13		1	40	70	1320
14		2		305	2000
15		1	40	60	2000
16		2	15	35	1700
17		4	15	35	1800
18		1		582	1754
19		1		582	1754
20		2	OSB	800	1100


20.1		1	OSB	400	1100
20.2		2	OSB	800	1680
20.3		1	OSB	400	1680
21		4	15	35	1080
22		4	15	35	1660
23		2	13	92	1120
24		2	13	92	1710
25		2	15	75	145
26		2	15	15	480
26.1		2	15	15	500
27		4	OSB	35	1000
28		1	27	35	1140
29		4	15	35	1000
30		3		1000	2000
31		6			
32		6			
33		2			
34		1			
35		1			


1




2








5



$$a=b$$



7

14-16mm


14-16mm



32

31


19

18




 F_{x3}


35



1








2




3

34






11



12



MAX
30 kg/m²



C x14

25

23

24

B x4

26.1

B x8

26

